

DB Kitsuma Coil

185 X 50 Trunnion Shock Size Compatible VALT Springs:

- AAD1784 VALT – 2.25X350
- AAD1763 VALT – 2.25X400
- AAD1764 VALT – 2.25X450
- AAD1765 VALT – 2.25X500
- AAD1766 VALT – 2.25X550
- AAD2288 VALT – 2.25X600
- AAD2348 VALT – 2.25X650
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

210 X 50 Shock Size Compatible VALT Springs:

- AAD1784 VALT – 2.25X350
- AAD1763 VALT – 2.25X400
- AAD1764 VALT – 2.25X450
- AAD1765 VALT – 2.25X500
- AAD1766 VALT – 2.25X550
- AAD2288 VALT – 2.25X600
- AAD2348 VALT – 2.25X650
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

185 X 52.5 Trunnion Shock Size Compatible VALT Springs:

- AAD1784 VALT – 2.25X350
- AAD1763 VALT – 2.25X400
- AAD1764 VALT – 2.25X450
- AAD1765 VALT – 2.25X500
- AAD1766 VALT – 2.25X550
- AAD2288 VALT – 2.25X600
- AAD2348 VALT – 2.25X650
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs

- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

210 X 52.5 Shock Size Compatible VALT Springs:

- AAD1784 VALT – 2.25X350
- AAD1763 VALT – 2.25X400
- AAD1764 VALT – 2.25X450
- AAD1765 VALT – 2.25X500
- AAD1766 VALT – 2.25X550
- AAD2288 VALT – 2.25X600
- AAD2348 VALT – 2.25X650
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

185 X 55 Trunnion Shock Size Compatible VALT Springs:

- AAD1784 VALT – 2.25X350
- AAD1763 VALT – 2.25X400
- AAD1764 VALT – 2.25X450
- AAD1765 VALT – 2.25X500
- AAD1766 VALT – 2.25X550
- AAD2288 VALT – 2.25X600
- AAD2348 VALT – 2.25X650
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

210 X 55 Shock Size Compatible VALT Springs:

- AAD1784 VALT – 2.25X350
- AAD1763 VALT – 2.25X400
- AAD1764 VALT – 2.25X450
- AAD1765 VALT – 2.25X500
- AAD1766 VALT – 2.25X550
- AAD2288 VALT – 2.25X600
- AAD2348 VALT – 2.25X650
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs

- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

205 X 57.5 Trunnion Shock Size Compatible VALT Springs:

- AAD2289 VALT – 2.50X350
- AAD1767 VALT – 2.50X400
- AAD1768 VALT – 2.50X450
- AAD1769 VALT – 2.50X500
- AAD1770 VALT – 2.50X550
- AAD2360 VALT – 2.50X600
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

230 x 57.5 Shock Size Compatible VALT Springs:

- AAD2289 VALT – 2.50X350
- AAD1767 VALT – 2.50X400
- AAD1768 VALT – 2.50X450
- AAD1769 VALT – 2.50X500
- AAD1770 VALT – 2.50X550
- AAD2360 VALT – 2.50X600
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

205 X 60 Trunnion Shock Size Compatible VALT Springs:

- AAD2289 VALT – 2.50X350
- AAD1767 VALT – 2.50X400
- AAD1768 VALT – 2.50X450
- AAD1769 VALT – 2.50X500
- AAD1770 VALT – 2.50X550
- AAD2360 VALT – 2.50X600
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

230 x 60 Shock Size Compatible VALT Springs:

- AAD2289 VALT – 2.50X350
- AAD1767 VALT – 2.50X400
- AAD1768 VALT – 2.50X450
- AAD1769 VALT – 2.50X500
- AAD1770 VALT – 2.50X550
- AAD2360 VALT – 2.50X600
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

205 X 62.5 Trunnion Shock Size Compatible VALT Springs:

- AAD2289 VALT – 2.50X350
- AAD1767 VALT – 2.50X400
- AAD1768 VALT – 2.50X450
- AAD1769 VALT – 2.50X500
- AAD1770 VALT – 2.50X550
- AAD2360 VALT – 2.50X600
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

205 X 65 Trunnion Shock Size Compatible VALT Springs:

- AAD2289 VALT – 2.50X350
- AAD1767 VALT – 2.50X400
- AAD1768 VALT – 2.50X450
- AAD1769 VALT – 2.50X500
- AAD1770 VALT – 2.50X550
- AAD2360 VALT – 2.50X600
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

230 x 65 Shock Size Compatible VALT Springs:

- AAD2289 VALT – 2.50X350
- AAD1767 VALT – 2.50X400
- AAD1768 VALT – 2.50X450
- AAD1769 VALT – 2.50X500

- AAD1770 VALT – 2.50X550
- AAD2360 VALT – 2.50X600
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

225 X 70 Trunnion Shock Size Compatible VALT Springs:

- AAD1775 VALT – 3.00X300
- AAD1776 VALT – 3.00X350
- AAD1777 VALT – 3.00X400
- AAD1778 VALT – 3.00X450
- AAD1779 VALT – 3.00X500

250 X 70 Shock Size Compatible VALT Springs:

- AAD1775 VALT – 3.00X300
- AAD1776 VALT – 3.00X350
- AAD1777 VALT – 3.00X400
- AAD1778 VALT – 3.00X450
- AAD1779 VALT – 3.00X500

225 X 75 Trunnion Shock Size Compatible VALT Springs:

- AAD1775 VALT – 3.00X300
- AAD1776 VALT – 3.00X350
- AAD1777 VALT – 3.00X400
- AAD1778 VALT – 3.00X450
- AAD1779 VALT – 3.00X500

250 X 75 Shock Size Compatible VALT Springs:

- AAD1775 VALT – 3.00X300
- AAD1776 VALT – 3.00X350
- AAD1777 VALT – 3.00X400
- AAD1778 VALT – 3.00X450
- AAD1779 VALT – 3.00X500

DBCcoil IL

190 x 40 Shock Size Compatible VALT Springs:

- AAD1760 VALT – 2.00X400
- AAD1761 VALT – 2.00X450
- AAD1762 VALT – 2.00X500
- AAD2308 VALT – 2.00X550
- AAD2286 VALT – 2.00X600
- AAD2287 VALT – 2.00X650
- AAD1784 VALT – 2.25X350

190 x 45 Shock Size Compatible VALT Springs:

- AAD1760 VALT – 2.00X400
- AAD1761 VALT – 2.00X450
- AAD1762 VALT – 2.00X500
- AAD2308 VALT – 2.00X550
- AAD2286 VALT – 2.00X600
- AAD2287 VALT – 2.00X650
- AAD1784 VALT – 2.25X350

190 x 50 Shock Size Compatible VALT Springs:

- AAD1760 VALT – 2.00X400
- AAD1761 VALT – 2.00X450
- AAD1762 VALT – 2.00X500
- AAD2308 VALT – 2.00X550
- AAD2286 VALT – 2.00X600
- AAD2287 VALT – 2.00X650

200 x 50 Shock Size Compatible VALT Springs:

- AAD1760 VALT – 2.00X400
- AAD1761 VALT – 2.00X450
- AAD1762 VALT – 2.00X500
- AAD2308 VALT – 2.00X550
- AAD2286 VALT – 2.00X600
- AAD2287 VALT – 2.00X650
- AAD1784 VALT – 2.25X350
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

210 x 50 Shock Size Compatible VALT Springs:

- AAD1760 VALT – 2.00X400
- AAD1761 VALT – 2.00X450
- AAD1762 VALT – 2.00X500
- AAD2308 VALT – 2.00X550
- AAD2286 VALT – 2.00X600
- AAD2287 VALT – 2.00X650
- AAD1784 VALT – 2.25X350
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

210 x 52.5 Shock Size Compatible VALT Springs:

- AAD1760 VALT – 2.00X400
- AAD1761 VALT – 2.00X450
- AAD1762 VALT – 2.00X500
- AAD2308 VALT – 2.00X550
- AAD2286 VALT – 2.00X600
- AAD2287 VALT – 2.00X650
- AAD1784 VALT – 2.25X350
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

210 x 55 Shock Size Compatible VALT Springs:

- AAD1784 VALT – 2.25X350
- AAD1763 VALT – 2.25X400
- AAD1764 VALT – 2.25X450
- AAD1765 VALT – 2.25X500
- AAD1766 VALT – 2.25X550
- AAD2288 VALT – 2.25X600
- AAD2348 VALT – 2.25X650
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

200 x 57 Shock Size Compatible VALT Springs: (some 2.25in length springs may require a few millimeters of compression for installation and removal)

- AAD1784 VALT – 2.25X350
- AAD1763 VALT – 2.25X400
- AAD1764 VALT – 2.25X450
- AAD1765 VALT – 2.25X500
- AAD1766 VALT – 2.25X550
- AAD2288 VALT – 2.25X600
- AAD2288 VALT – 2.25X600
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

216 x 63 Shock Size Compatible VALT Springs:

- AAD2289 VALT – 2.50X350
- AAD1767 VALT – 2.50X400
- AAD1768 VALT – 2.50X450
- AAD1769 VALT – 2.50X500
- AAD1770 VALT – 2.50X550
- AAD1771 VALT – 2.75X400
- AAD1772 VALT – 2.75X450
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

DBCcoil CS

200 x 50 Shock Size Compatible VALT Springs:

- AAD1760 VALT – 2.00X400
- AAD1761 VALT – 2.00X450
- AAD1762 VALT – 2.00X500
- AAD2308 VALT – 2.00X550
- AAD2286 VALT – 2.00X600
- AAD2287 VALT – 2.00X650
- AAD1784 VALT – 2.25X350
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

185 x 50 Trunnion Shock Size Compatible VALT Springs:

- AAD1760 VALT – 2.00X400
- AAD1761 VALT – 2.00X450
- AAD1762 VALT – 2.00X500
- AAD2308 VALT – 2.00X550
- AAD2286 VALT – 2.00X600
- AAD2287 VALT – 2.00X650
- AAD1784 VALT – 2.25X350
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

210 x 50 Shock Size Compatible VALT Springs:

- AAD1760 VALT – 2.00X400
- AAD1761 VALT – 2.00X450
- AAD1762 VALT – 2.00X500
- AAD2308 VALT – 2.00X550
- AAD2286 VALT – 2.00X600
- AAD2287 VALT – 2.00X650
- AAD1784 VALT – 2.25X350
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

210 x 52.5 Shock Size Compatible VALT Springs:

- AAD1784 VALT – 2.25X350
- AAD1763 VALT – 2.25X400
- AAD1764 VALT – 2.25X450
- AAD1765 VALT – 2.25X500
- AAD1766 VALT – 2.25X550
- AAD2288 VALT – 2.25X600
- AAD2289 VALT – 2.50X350
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

185 x 55 Trunnion Shock Size Compatible Springs:

- AAD1784 VALT – 2.25X350
- AAD1763 VALT – 2.25X400
- AAD1764 VALT – 2.25X450
- AAD1765 VALT – 2.25X500
- AAD1766 VALT – 2.25X550
- AAD2288 VALT – 2.25X600
- AAD2289 VALT – 2.50X350
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

210 x 55 Shock Size Compatible VALT Springs:

- AAD1784 VALT – 2.25X350
- AAD1763 VALT – 2.25X400
- AAD1764 VALT – 2.25X450
- AAD1765 VALT – 2.25X500
- AAD1766 VALT – 2.25X550
- AAD2288 VALT – 2.25X600
- AAD2289 VALT – 2.50X350
- AAD1767 VALT – 2.50X400
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

200 x 57 Shock Size Compatible VALT Springs:

- AAD1784 VALT – 2.25X350
- AAD1763 VALT – 2.25X400
- AAD1764 VALT – 2.25X450
- AAD1765 VALT – 2.25X500
- AAD1766 VALT – 2.25X550
- AAD2288 VALT – 2.25X600
- AAD2289 VALT – 2.50X350
- AAD2418 PROGRESSIVE VALT – 55mmX400-488lbs
- AAD2419 PROGRESSIVE VALT – 55mmX450-550lbs
- AAD2420 PROGRESSIVE VALT – 55mmX500-610lbs
- AAD2421 PROGRESSIVE VALT – 55mmX550-670lbs

205 x 57.5 Trunnion Shock Size Compatible VALT Springs:

- AAD1784 VALT – 2.25X350
- AAD1763 VALT – 2.25X400
- AAD1764 VALT – 2.25X450
- AAD1765 VALT – 2.25X500
- AAD1766 VALT – 2.25X550
- AAD2288 VALT – 2.25X600
- AAD2289 VALT – 2.50X350
- AAD1767 VALT – 2.50X400
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

230 x 57.5 Shock Size Compatible VALT Springs:

- AAD1767 VALT – 2.50X400
- AAD1768 VALT – 2.50X450
- AAD1769 VALT – 2.50X500
- AAD1770 VALT – 2.50X550
- AAD2360 VALT – 2.50X600
- AAD1771 VALT – 2.75X400
- AAD1772 VALT – 2.75X450
- AAD1773 VALT – 2.75X500
- AAD1774 VALT – 2.75X550
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

205 x 60 Trunnion Shock Size Compatible VALT Springs:

- AAD2289 VALT – 2.50X350
- AAD1767 VALT – 2.50X400
- AAD1768 VALT – 2.50X450
- AAD1769 VALT – 2.50X500
- AAD1770 VALT – 2.50X550
- AAD1771 VALT – 2.75X400
- AAD1772 VALT – 2.75X450
- AAD1773 VALT – 2.75X500
- AAD1774 VALT – 2.75X550
- AAD1775 VALT – 3.00X300
- AAD1776 VALT – 3.00X350
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs

- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

230 x 60 Shock Size Compatible VALT Springs:

- AAD2289 VALT – 2.50X350
- AAD1767 VALT – 2.50X400
- AAD1768 VALT – 2.50X450
- AAD1769 VALT – 2.50X500
- AAD1770 VALT – 2.50X550
- AAD1771 VALT – 2.75X400
- AAD1772 VALT – 2.75X450
- AAD1773 VALT – 2.75X500
- AAD1774 VALT – 2.75X550
- AAD1775 VALT – 3.00X300
- AAD1776 VALT – 3.00X350
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

216 x 63 Shock Size Compatible VALT Springs:

- AAD2289 VALT – 2.50X350
- AAD1767 VALT – 2.50X400
- AAD1768 VALT – 2.50X450
- AAD1769 VALT – 2.50X500
- AAD1770 VALT – 2.50X550
- AAD1771 VALT – 2.75X400
- AAD1772 VALT – 2.75X450
- AAD1773 VALT – 2.75X500
- AAD1774 VALT – 2.75X550
- AAD1775 VALT – 3.00X300
- AAD1776 VALT – 3.00X350
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

222 x 63 Shock Size Compatible VALT Springs:

- AAD2289 VALT – 2.50X350

- AAD1767 VALT – 2.50X400
- AAD1768 VALT – 2.50X450
- AAD1769 VALT – 2.50X500
- AAD1770 VALT – 2.50X550
- AAD1771 VALT – 2.75X400
- AAD1772 VALT – 2.75X450
- AAD1773 VALT – 2.75X500
- AAD1774 VALT – 2.75X550
- AAD1775 VALT – 3.00X300
- AAD1776 VALT – 3.00X350
- AAD1777 VALT – 3.00X400
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

205 x 65 Trunnion Shock Size Compatible VALT Springs:

- AAD1771 VALT – 2.75X400
- AAD1772 VALT – 2.75X450
- AAD1773 VALT – 2.75X500
- AAD1774 VALT – 2.75X550
- AAD1775 VALT – 3.00X300
- AAD1776 VALT – 3.00X350
- AAD1777 VALT – 3.00X400
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs

222 x 70 Shock Size Compatible VALT Springs:

- AAD1771 VALT – 2.75X400
- AAD1772 VALT – 2.75X450
- AAD1773 VALT – 2.75X500
- AAD1774 VALT – 2.75X550
- AAD1775 VALT – 3.00X300
- AAD1776 VALT – 3.00X350
- AAD1777 VALT – 3.00X400
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs

- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs (65mm spring will work with 70mm stroke. Preload should be limited to 5 full turns).

250 x 70 Shock Size Compatible VALT Springs:

- AAD1771 VALT – 2.75X400
- AAD1772 VALT – 2.75X450
- AAD1773 VALT – 2.75X500
- AAD1774 VALT – 2.75X550
- AAD1775 VALT – 3.00X300
- AAD1776 VALT – 3.00X350
- AAD1777 VALT – 3.00X400
- AAD1778 VALT – 3.00X450
- AAD1779 VALT – 3.00X500
- AAD1780 VALT – 3.50X300
- AAD1781 VALT – 3.50X350
- AAD2425 PROGRESSIVE VALT – 65mmX400-488lbs
- AAD2426 PROGRESSIVE VALT – 65mmX450-550lbs
- AAD2427 PROGRESSIVE VALT – 65mmX500-610lbs
- AAD2428 PROGRESSIVE VALT – 65mmX550-670lbs (65mm spring will work with 70mm stroke. Preload should be limited to 5 full turns).

250 x 75 Shock Size Compatible VALT Springs:

- AAD1775 VALT – 3.00X300
- AAD1776 VALT – 3.00X350
- AAD1777 VALT – 3.00X400
- AAD1778 VALT – 3.00X450
- AAD1779 VALT – 3.00X500
- AAD1780 VALT – 3.50X300
- AAD1781 VALT – 3.50X350
- AAD1782 VALT – 3.50X400

240 x 76 Shock Size Compatible VALT Springs:

- AAD1775 VALT – 3.00X300
- AAD1776 VALT – 3.00X350
- AAD1777 VALT – 3.00X400
- AAD1778 VALT – 3.00X450
- AAD1779 VALT – 3.00X500
- AAD1780 VALT – 3.50X300
- AAD1781 VALT – 3.50X350
- AAD1782 VALT – 3.50X400

267 x 90 Shock Size Compatible VALT Springs:

- AAD1780 VALT – 3.50X300
- AAD1781 VALT – 3.50X350
- AAD1782 VALT – 3.50X400